



Western of FGF-18 produced by SF9 cells  
infected with the baculovirus expression  
vector. Comparison with MBP-FGF-18




FGF-18 Baculovirus Insect Cell Supernatants

*Fig. 1*




*Fig. 2A*



*Fig. 2B*


8 10 12 13 14 15 16




*Fig. 3A*

8 10 12 13 14 15 16

B FGF-18




*Fig. 3B*




*Fig. 4*

21 22 23 24 25 26 27



*Fig. 5A*

21 22 23 24 25 26 27



*Fig. 5B*

09836960






Fig. 6

18 17 16 15 14 11 10 9 8 7 6 5 4 3



*Fig. 7A*

18 17 16 15 14 11 10 9 8 7 6 5 4 3



*Fig. 7B*

FIG. 7A



Fig. 8

FIG. 8




FIG. 9




Fig. 9




Fig. 10

FIG. 10

title: HUMAN FGF GENE AND GENE EXPRESSION PRODUCTS


Express Mail No. EL897872478US

Inventor(s): Hui Cen et al.

Serial No. 09/836,960

Docket No. 200130.401D1 (PP-01421.103)


09836960-112101




bFGF

FGF 18

*Fig. 11*



*Fig. 12A*



*Fig. 12B*

09836960-112101